Analytica Chimica Acta 505 (2004) 315-317

ANALYTICA CHIMICA ACTA

www.elsevier.com/locate/aca

## **Author Index**

Abbaspour, A.

-, Najafi, M. and Kamyabi, M.A.

Quantitative kinetic determination of Sb(V) and Sb(III) by spectrophotometric H-point standard addition method 301

Alizadeh, N., see Shafiee-Dastjerdi, L. 195

Anthemidis, A.N., see Papadopoulou, D.N. 173

Apak, R., see Çekiç, S.D. 15

Apak, R., see Erçağ, E. 95

Apak, R., see Filik, H. 77

Apak, R., see Üzer, A. 83

Apak, R., see Yalçin, S. 25

Araújo, A.N.

—, Montenegro, M.C.V.B.S.M., Kousalová, L., Sklenářová, H., Solich, P. and Olmos, R.P.

Sequential injection system for simultaneous determination of chloride and iodide by a Gran's plot method 161

Ates, S., see Gök, E. 125

Bastos Caramão, E., see Cassia de Souza Schneider, R. 223

Benaïm, J.Y., see Garnier, C. 263

Blank, A.B., see Giokas, D.L. 51

Branica, M., see Garnier, C. 263

Budak, G., see Polat, R. 307

Calokerinos, A.C.

-, Georgiou, C.A. and Thomaidis, N.S.

Foreword to 3rd AACD 1

Calokerinos, A.C., see Thomaidis, N.S. 3

Cassia de Souza Schneider, R.

—, Zanon Baldissarelli, V., Trombetta, F., Martinelli, M. and Bastos Caramão, E.

Optimization of gas chromatographic-mass spectrometric analysis for fatty acids in hydrogenated castor oil obtained by catalytic transfer hydrogenation 223

Çekiç, S.D.

-, Filik, H. and Apak, R.

Use of an o-aminobenzoic acid-functionalized XAD-4 copolymer resin for the separation and preconcentration of heavy metal(II) ions 15

Chang, H.-C., see Wu, C.-C. 239

Chatrathi, M.P., see Wang, J. 183

Chen, G., see Wang, J. 183

Chen, W., see Wang, J. 183

Chen, X.-L.

-, Li, Z.-B., Zhu, Y.-X. and Xu, J.-G.

Sensitive fluorimetric method for the determination of aniline by using tetra-substituted amino aluminium phthalocyanine 283

D' Silva, T.M., see Harrington, C.F. 247

Demertzis, M.A.

Low detection limit spectrophotometry 73

Dimitra, N., see Yao, D. 115

Dogan, M., see Ozdemir, N. 37

Economou, A., see Tzanavaras, P.D. 167

Economou, A.

-, Tzanavaras, P.D., Notou, M. and Themelis, D.G.

Determination of methimazole and carbimazole by flow-injection with chemiluminescence detection based on the inhibition of the Cu(II)-catalysed luminol-hydrogen peroxide reaction 129

Eksperiandova, L.P., see Giokas, D.L. 51

Elci, L., see Ozdemir, N. 37

Ensafi, A.A.

-, Khayamian, T. and Khaloo, S.S.

Application of adsorptive cathodic differential pulse stripping method for simultaneous determination of copper and molybdenum using pyrogallol red 201

Erçağ, A., see Erçağ, E. 95

Erçağ, E.

-, Erçağ, A. and Apak, R.

Spectrophotometric determination of the soil fumigant: dazomet with copper(II)-neocuproine reagent 95

Erçağ, E., see Üzer, A. 83

Erdem, N.

- and Henden, E.

Inter-element interferences in the determination of arsenic and antimony by hydride generation atomic absorption spectrometry with a quartz tube atomizer 59

Evmiridis, N.P., see Yao, D. 115

Filik, H., see Çekiç, S.D. 15

Filik, H.

-, Tütem, E. and Apak, R.

Use of the molybdenum-thiocyanate-rhodamine 6G ternary complex for spectrophotometric molybdenum determination without extraction 77

Fodor, P., see Ipolyi, I. 145

Garnier, C.

—, Pižeta, I., Mounier, S., Benaïm, J.Y. and Branica, M.

Influence of the type of titration and of data treatment methods on metal complexing parameters determination of single and multi-ligand systems measured by stripping voltammetry 263

Gatidou, G.

-, Kotrikla, A., Thomaidis, N.S. and Lekkas, T.D.

Determination of two antifouling booster biocides and their degradation products in marine sediments by high performance liquid chromatography-diode array detection 153

Georgiou, C.A., see Calokerinos, A.C. 1

Georgiou, C.A., see Thomaidis, N.S. 3

Gherghi, I.Ch.

—, Girousi, S.Th., Voulgaropoulos, A. and Tzimou-Tsitouridou, R. Interaction of the mutagen ethidium bromide with DNA, using a carbon paste electrode and a hanging mercury drop electrode 135

Giokas, D.L.

-, Eksperiandova, L.P., Blank, A.B. and Karayannis, M.I.

Comparison and evaluation of cloud point extraction and low-temperature directed crystallization as preconcentration tools for the determination of trace elements in environmental samples 51

Girousi, S.Th., see Gherghi, I.Ch. 135

Gök, E.

- and Ates, S.

Determination of thyroxine hormone by luminol chemiluminescence 125

Gosain, S., see Lohumi, N. 231

Güçer, S., see Yaşar, S.B. 43

Gupta, V.K., see Lohumi, N. 231

Harrington, C.F.

-, Merson, S.A. and D' Silva, T.M.

Method to reduce the memory effect of mercury in the analysis of fish tissue using inductively coupled plasma mass spectrometry 247

Henden, E., see Erdem, N. 59

Henden, E., see Işcioğlu, B. 101

İçelli, O., see Polat, R. 307

Inoue, K., see Kawaguchi, M. 217

Ipolyi, I.

-, Massanisso, P., Sposato, S., Fodor, P. and Morabito, R.

Concentration levels of total and methylmercury in mussel samples collected along the coasts of Sardinia Island (Italy) 145

Işcioğlu, B.

- and Henden, E.

Determination of selenoamino acids by gas chromatography-mass spectrometry 101

Ito, R., see Kawaguchi, M. 217

Jain, A., see Lohumi, N. 231

Jiménez, C.

-, Ventura, R. and Segura, J.

Detection in urine of efaproxiral (RSR13), a potential doping agent, by a routine screening procedure based on methylation followed by gas chromatography/mass spectrometry 227

Kalivas, J.H.

Pareto calibration with built-in wavelength selection 9

Kamyabi, M.A., see Abbaspour, A. 301

Karayannis, M.I., see Giokas, D.L. 51

Kawaguchi, M.

—, Inoue, K., Yoshimura, M., Ito, R., Sakui, N. and Nakazawa, H. Determination of 4-nonylphenol and 4-tert.-octylphenol in water samples by stir bar sorptive extraction and thermal desorption—gas chromatography—mass spectrometry 217

Khaloo, S.S., see Ensafi, A.A. 201

Khayamian, T., see Ensafi, A.A. 201

Kirichenko, T.

-, Vetrogon, V., Scherbakov, S. and Lukyanenko, N.

Complex formation of alkali and alkaline earth metal ions with cryptands containing thiourea units as a part of macrocyclic framework in aqueous methanol 277

Kotrikla, A., see Gatidou, G. 153

Kot-Wasik, A.

Studies on fluorene stability in different liquid media 289

Kousalová, L., see Araújo, A.N. 161

Lekkas, T.D., see Gatidou, G. 153

Li, L.-x., see Sun, H.-w. 255

Li, Z.-B., see Chen, X.-L. 283

Liang, S.-x., see Sun, H.-w. 255

Lohumi, N.

-, Gosain, S., Jain, A., Gupta, V.K. and Verma, K.K.

Determination of nitrate in environmental water samples by conversion into nitrophenols and solid phase extraction—spectrophotometry, liquid chromatography or gas chromatography—mass spectrometry 231

Lukyanenko, N., see Kirichenko, T. 277

Martinelli, M., see Cassia de Souza Schneider, R. 223

Massanisso, P., see Ipolyi, I. 145

Merson, S.A., see Harrington, C.F. 247

Miljanic, S.S., see Radak, B.B. 67

Mitakos, A.

- and Panderi, I.

Determination of the carboxylic acid metabolite of clopidogrel in human plasma by liquid chromatography-electrospray ionization mass spectrometry 107

Montenegro, M.C.V.B.S.M., see Araújo, A.N. 161

Morabito, R., see Ipolyi, I. 145

Mounier, S., see Garnier, C. 263

Muck Jr., A., see Wang, J. 183

Mulchandani, A., see Wang, J. 183

Najafi, M., see Abbaspour, A. 301

Nakazawa, H., see Kawaguchi, M. 217

Nogueira, J.M.F.

-, Sandra, T. and Sandra, P.

Multiresidue screening of neutral pesticides in water samples by high performance liquid chromatography–electrospray mass spectrometry

Notou, M., see Economou, A. 129

Olmos, R.P., see Araújo, A.N. 161

Ozdemir, N.

-, Soylak, M., Elci, L. and Dogan, M.

Speciation analysis of inorganic Sb(III) and Sb(V) ions by using mini column filled with Amberlite XAD-8 resin 37

Panderi, I., see Mitakos, A. 107

Papadopoulou, D.N.

—, Zachariadis, G.A., Anthemidis, A.N., Tsirliganis, N.C. and Stratis, J.A.

Microwave-assisted versus conventional decomposition procedures applied to a ceramic potsherd standard reference material by inductively coupled plasma atomic emission spectrometry 173

Petkovska, L.T., see Radak, B.B. 67

Petkovska, M.T., see Radak, B.B. 67

Pižeta, I., see Garnier, C. 263

Polat, R.

—, İçelli, O. and Budak, G.

New method to measure the K-shell absorption jump factor in some rareearth elements 307

Qiao, F.-x., see Sun, H.-w. 255

Radak, B.B.

—, Petkovska, M.T., Trtica, M.S., Miljanic, S.S. and Petkovska, L.T. Photoacoustic study of CO<sub>2</sub>-laser coincidences with absorption of some organic solvent vapours 67

Sakui, N., see Kawaguchi, M. 217

Sandra, P., see Nogueira, J.M.F. 209

Sandra, T., see Nogueira, J.M.F. 209

Scherbakov, S., see Kirichenko, T. 277

Segura, J., see Jiménez, C. 227

Shafiee-Dastjerdi, L.

- and Alizadeh, N.

Coated wire linear alkylbenzenesulfonate sensor based on polypyrrole and improvement of the selectivity behavior 195

Shikata, S., see Takagi, K. 189

Siminelakis, S., see Yao, D. 115

Sklenářová, H., see Araújo, A.N. 161

Solich, P., see Araújo, A.N. 161

Soylak, M., see Ozdemir, N. 37

Sposato, S., see Ipolyi, I. 145

Stratis, J.A., see Papadopoulou, D.N. 173

Sun, H.-w.

-, Qiao, F.-x., Suo, R., Li, L.-x. and Liang, S.-x.

Simultaneous determination of trace arsenic(III), antimony(III), total arsenic and antimony in Chinese medicinal herbs by hydride generation-double channel atomic fluorescence spectrometry 255

Suo, R., see Sun, H.-w. 255

Takagi, K.

- and Shikata, S.

Flow injection determination of histamine with a histamine dehydrogenase-based electrode 189

Themelis, D.G., see Economou, A. 129

Themelis, D.G., see Tzanavaras, P.D. 167

Thomaidis, N.S.

-, Georgiou, C.A. and Calokerinos, A.C.

Analytical chemistry in Balkan and East Mediterranean countries during 1994–2001 3

Thomaidis, N.S., see Calokerinos, A.C. 1

Thomaidis, N.S., see Gatidou, G. 153

Trombetta, F., see Cassia de Souza Schneider, R. 223

Trtica, M.S., see Radak, B.B. 67

Tsirliganis, N.C., see Papadopoulou, D.N. 173

Tütem, E., see Filik, H. 77

Tzanavaras, P.D., see Economou, A. 129

Tzanavaras, P.D.

-, Themelis, D.G. and Economou, A.

Sequential injection method for the direct spectrophotometric determination of bismuth in pharmaceutical products 167

Tzimou-Tsitouridou, R., see Gherghi, I.Ch. 135

Üzer, A.

-, Erçağ, E. and Apak, R.

Selective spectrophotometric determination of trinitrotoluene, trinitrophenol, dinitrophenol and mononitrophenol 83 Ventura, R., see Jiménez, C. 227

Verma, K.K., see Lohumi, N. 231

Vetrogon, V., see Kirichenko, T. 277

Vlessidis, A.G., see Yao, D. 115

Voulgaropoulos, A., see Gherghi, I.Ch. 135

Wang, J.

—, Chen, G., Muck Jr., A., Chatrathi, M.P., Mulchandani, A. and Chen, W

Microchip enzymatic assay of organophosphate nerve agents 183 Wu, C.-C.

- and Chang, H.-C.

Estimating the thickness of hydrated ultrathin poly(o-phenylenediamine) film by atomic force microscopy 239

Xu, J.-G., see Chen, X.-L. 283

Yalçin, S.

- and Apak, R.

Chromium(III, VI) speciation analysis with preconcentration on a maleic acid-functionalized XAD sorbent 25

Yao, D.

—, Vlessidis, A.G., Evmiridis, N.P., Siminelakis, S. and Dimitra, N. Possible mechanism for nitric oxide and oxidative stress induced pathophysiological variance in acute myocardial infarction development. A study by a flow injection-chemiluminescence method 115

Yaşar, S.B.

- and Güçer, S.

Fractionation analysis of magnesium in olive products by atomic absorption spectrometry 43

Yoshimura, M., see Kawaguchi, M. 217

Zachariadis, G.A., see Papadopoulou, D.N. 173

Zanon Baldissarelli, V., see Cassia de Souza Schneider, R. 223

Zhu, Y.-X., see Chen, X.-L. 283



## Vol. 505 Iss. 1 MAR 3

2004